

15 Plafo>The LED Plafo Outdoor Round Plastic

67280N/W/W



16W LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions






Physical Specification

Product Type	Gear
Item Group	15 Plafo
Family	The LED Plafo Outdoor Round Plastic
Order Code	67280N/W/W
Colour	White
Material	Plastic
Diffuser Material	PC
Shape	Circular
Height	75mm
Diameter	260mm
Surface Ceiling	Yes
Indoor	Yes

Outdoor	Yes
Adjustable	No
IK Rating	8

### Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	16W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	30V
Power(Watts)	15W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	81
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,5-16W
Power Factor	0,9
Constant Current	Yes
500mA	19-32V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Manufacturer	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	960lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Box Length	27cm
Box Width	27cm
Box Height	8cm
Box Weight	0,9Kg
Pcs/Carton	10
Barcode	5291889043263
HS Code	9405104090



Certification & Warranty

Warranty

2 Years

Wee Directive

Yes

switch to  
**one light!**

