



Product Datasheet

11 Office & Kitchen>LED Linear Profiles Large size

38160A/B/W



40W UGR19 Surface and suspended linear LED with diffuser, ideal for offices. Complete with 1000mA driver, 4pcs fixing clips & 4pcs connectors.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Accessories



050170

Physical Specification Item Group 11 Office & Kitchen LED Linear Profiles Large size Family Order Code 38160A/B/W Colour Black Material Aluminium PC **Diffuser Material** Shape Rectangular 1200mm Length Width 75mm Height 75mm Surface Ceiling Yes Suspended Ceiling Yes Indoor Yes Adjustable No **Electrical Characteristics** Gear Built In Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class Power(Watts)

IP20

No

300cm

F

LED built in

IP Rating

Light Source

Dimmable

F Mark

Cable Length

Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	38V
Power(Watts)	38W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	30-42W
Power Factor	0,9
Constant Current	Yes
1000mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	AGT
Illumination Data	

Illumination Data

Colour Temperature	3000K
Lumen Output	3400lm
Light Efficiency	85lm/W
CRI	90
Illumination Diagram	

Barcode

Box Weight 3.130kg Pcs/Carton 12

HS Code	9405409900

5291889064183

19

Certification & Warranty Warranty Weee Directive Yes



