

03 Recessed Spots Adjustable > The Lock Ring Range

11105C/MC



Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Product Type	Fitting
Item Group	03 Recessed Spots Adjustable
Family	The Lock Ring Range
Order Code	11105C/MC
Colour	Brushed Chrome
Material	Die Cast
Shape	Circular
Height	30mm
Diameter	94mm
Cutout Hole Diameter	82mm
Recessed Ceiling	Yes
Depth Required	60mm

Indoor

Yes

Adjustable

1 Direction

Electrical Characteristics

Fitting

Input Type

Constant Voltage

Input Voltage

12V AC/DC

Safety Class



Power(Watts)

50W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU5.3

Number of Lamps

1

LED Number

0

Cable Length

40cm

Illumination Data

Illumination Diagram



Packing Info

Box Length

10cm

Box Width

10cm

Box Height

5cm

Box Weight

0,113kg

Pcs/Carton


100

Barcode

5291889003168

HS Code

9405409900



Certification & Warranty

Warranty

2 Years

Wee Directive

Yes

switch to
one light!

