

09 LED Strips & Profiles > The 14,4W/m Indoor 24V

## 7830/EW



Extra Warm white flexible LED light strip, with SMD5050 LEDs, 60LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions

Cut every 10cm  
(6-LED segment)



### Gallery



### Accessories



7832



7834



20030

Physical Specification

Product Type	Gear
Item Group	09 LED Strips & Profiles
Family	The 14,4W/m Indoor 24V
Order Code	7830/EW
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	III
Power(Watts)	14,4W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Brand	Epistar
LED Number	60Leds/m

## Illumination Data

Colour Temperature	2700K
Lumen Output	980lm/W
Light Efficiency	68,05lm/W
CRI	80
Illumination Diagram	

## Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Box Weight	0,2kg
Pcs/Carton	40
Barcode	5291889038658
HS Code	9405409989

## Certification & Warranty

Warranty	3 Years
Wee Directive	Yes

switch to  
**one light!**

one  
LIGHT

